



PRODUCT DESCRIPTION & TECHNICAL SPECIFICATIONS

Tape for making plasterboard joints.

Trade name	Product name	Mesh tape 20m
Product dimensions	Height (in mm)	50
	Width (in mm)	78
	Length (in mm)	78
	Weight (in kg)	0.067
Material	Fibreglass	Do not use on ceilings : Risk of cracking
Consumption	Average consumption (per m ²)	1.4
	Average consumption (per m)	1
Install information : all products	Unit pack : type	carton
	Unit pack : height (in cm)	16
	Unit pack : width (in cm)	12
	Unit pack : depth (in cm)	23
	Unit pack : weight (in kg)	0,8
	Number of products / parcels (in items)	10

ADVANTAGES

- Classic and fast install
- Invisible after finishing
- Self-adhesive tape

AREA OF APPLICATION

Plasterboard joints.

REFERENCES TO TECHNICAL DOCUMENTS

- Customs nomenclature : 48239085
- Non-compliant with the DTU 25-41 (risk of cracking on ceilings)

INSTRUCTIONS FOR USE

1. Apply the mesh tape to the joint
2. Coat the mesh tape
3. Smooth




REFERENTIES & VERPAKKING

- Product reference : A002552
- Barcode : 35855010025622
- Packaging : 10 rolls per carton, 504 cartons per pallet.

DO YOU KNOW THE ASSOCIATED SEMIN PRODUCTS ?

- CE 78 : Apply like a rendering coat.



PRODUCT DESCRIPTION & TECHNICAL SPECIFICATIONS

Tape for making plasterboard joints.

Trade name	Product name	Mesh tape 45m
Product dimensions	Height (in mm)	50
	Width (in mm)	100
	Length (in mm)	100
	Weight (in kg)	0.0136
Material	Fibreglass	Do not use on ceilings : Risk of cracking
Consumption	Average consumption (per m2)	1.4
	Average consumption (per m)	4
Install information : all products	Unit pack : type	carton
	Unit pack : height (in cm)	88
	Unit pack : width (in cm)	32
	Unit pack : depth (in cm)	32
	Unit pack : weight (in kg)	3
	Number of products / parcels (in items)	54

ADVANTAGES

- Classic and fast install
- Invisible after finishing
- Self-adhesive tape

AREA OF APPLICATION


Plasterboard joints.

REFERENCES TO TECHNICAL DOCUMENTS

- Customs nomenclature : 48239085
- Non-compliant with the DTU 25-41 (risk of cracking on ceilings)

INSTRUCTIONS FOR USE

1. Apply the mesh tape to the joint
2. Coat the mesh tape
3. Smooth




REFERENTIES & VERPAKKING

- Product reference : A00254
- Barcode : 3585501002540
- Packaging : 54 rolls per carton, 54 cartons per pallet.

DO YOU KNOW THE ASSOCIATED SEMIN PRODUCTS ?

- CE 78 : Apply like a rendering coat.

WAPENINGSTAPE 45m



PRODUCT DESCRIPTION & TECHNICAL SPECIFICATIONS

Tape for making plasterboard joints.

Trade name	Product name	Mesh tape 90m
Product dimensions	Height (in mm)	50
	Width (in mm)	135
	Length (in mm)	135
	Weight (in kg)	0.27
Material	Fibreglass	Do not use on ceilings : Risk of cracking
Consumption	Average consumption (per m2)	1.4
	Average consumption (per m)	1
Install information : all products	Unit pack : type	carton
	Unit pack : height (in cm)	21
	Unit pack : width (in cm)	27
	Unit pack : depth (in cm)	39
	Unit pack : weight (in kg)	4.5
	Number of products / parcels (in items)	24

ADVANTAGES

- Classic and fast install
- Invisible after finishing
- Self-adhesive tape

AREA OF APPLICATION


Plasterboard joints.

REFERENCES TO TECHNICAL DOCUMENTS

- Customs nomenclature : 48239085
- Non-compliant with the DTU 25-41 (risk of cracking on ceilings)

INSTRUCTIONS FOR USE

1. Apply the mesh tape to the joint
2. Coat the mesh tape
3. Smooth




REFERENTIES & VERPAKKING

- Product reference : A00255
- Barcode : 3585501002557
- Packaging : 24 rolls per carton.
72 cartons per pallet.

DO YOU KNOW THE ASSOCIATED SEMIN PRODUCTS ?

- CE 78 : Apply like a rendering coat.

WAPENINGSTAPE 90m



PRODUCT DESCRIPTION & TECHNICAL SPECIFICATIONS

Tape for making plasterboard joints.

Trade name	Product name	Mesh tape 153m
Product dimensions	Height (in mm)	50
	Width (in mm)	100
	Length (in mm)	160
	Weight (in kg)	0.428
Material	Fibreglass	Do not use on ceilings : Risk of cracking
Consumption	Average consumption (per m2)	1.4
	Average consumption (per m)	1
Install information : all products	Unit pack : type	carton
	Unit pack : height (in cm)	16
	Unit pack : width (in cm)	31
	Unit pack : depth (in cm)	31
	Unit pack : weight (in kg)	4.5
	Number of products / parcels (in items)	12

ADVANTAGES

- Classic and fast install
- Invisible after finishing
- Self-adhesive tape

AREA OF APPLICATION


Plasterboard joints.

REFERENCES TO TECHNICAL DOCUMENTS

- Customs nomenclature : 48239085
- Non-compliant with the DTU 25-41 (risk of cracking on ceilings)

INSTRUCTIONS FOR USE

1. Apply the mesh tape to the joint
2. Coat the mesh tape
3. Smooth



REFERENTIES & VERPAKKING

- Product reference : A00256
- Barcode : 3585501002564
- Packaging : 12 rolls per carton, 144 cartons per pallet.

DO YOU KNOW THE ASSOCIATED SEMIN PRODUCTS ?

- CE 78 : Apply like a rendering coat.

WAPENINGSTAPE 153m