

Metal framework
& accessories range



**FRENCH MANUFACTURER OF FILLERS, GLUES, FRAMEWORKS,
HATCHES, TAPES, HANGERS SINCE 1838.**



Head Office /
Kedange sur Kanner [France]

Quarry in 1838

SEMIN is a family-owned French industrial group specialising in the manufacture of construction materials. Our mission is to provide building professionals with high-quality daily solutions for housing construction and interior renovation. Innovation has been the bedrock of SEMIN's growth since 1838.

Developing technical solutions that save time and provide ease of installation on construction sites is our primary objective. SEMIN has six industrial sites in France and four internationally. The group consists of 650 employees.

€160 million in turnover is generated by the group, 40% of which is generated internationally in more than 66 countries worldwide.

The customer is central to our strategy. The local involvement of our teams on the ground, combined with our flexibility and our responsiveness, are key elements in setting us apart from the competition.

SEMIN
Production plant
Kédange sur Canner / France



SEMIN
Production plant
Espira de l'Agly / France



SEMIN
Filler production plant
Amblainville / France



SEMIN
Framework production plant
Amblainville / France



SEMIN CZ
Production plant
Czech Republic



SEMIN RUSSIE
Production plant
Russia



SEMIN
Showroom
Algeria



RUG SEMIN
Inspection hatches production plant
Czech Republic



SEMIN
Framework production plant
Tours / France



SEMIN BCN
Tape production plant
Barcelona / Spain



A major challenge for the SEMIN group in the coming years is to accelerate our international development.

Our goal is to grow the share of international business to 50% within five years. We are convinced that the quality of the service we provide to our customers is a key factor. For this reason, we invest regularly to improve this service and meet our customers' needs as closely as possible.

These developments are part of the group's strong desire to grow by focusing on short supply chains and controlling our environmental impact as far as possible.

Number of plaster tankers arriving at our sites: 1 tanker every 20 minutes

Number of tons of fillers manufactured per year: 200,000 tonnes

Number of pallets per day leaving our industrial sites: 1,000 pallets



**SEMIN + POINTS :
MAKES RUNNING
CABLES EASY**

STUDS

DESCRIPTION

EN 14195 standard compliant.

Nominal thickness 0.57.

Z 140 galva protection. DX 51 stainless steel.



36mm studs

Available lengths :

2.50ml & 3.00ml

10 lengths per pack, 480 lengths per pallet.



48 mm studs

Available lengths :

From 2.40ml to 6.00ml in 10 cm steps*

10 lengths per pack, 300 lengths per pallet.

48mm studs, 50mm flanges.

Studs on request in Z275.



62 mm studs

Available lengths :

From 2.40ml to 6.00ml in 10 cm steps*

10 lengths per pack, 400 lengths per pallet.



70 mm studs

Available lengths :

From 2.40ml to 6.00ml in 10 cm steps*

10 lengths per pack, 400 lengths per pallet.



90 mm studs

Available lengths :

From 2.40ml to 6.00ml in 10 cm steps*

10 lengths per pack, 540 lengths per pallet.



100 mm studs

Available lengths :

From 2.40ml to 6.00ml in 10 cm steps*

10 lengths per pack, 200 lengths per pallet.

120 mm studs

Available lengths :

From 2.40ml to 6.00ml in 10 cm steps*










10 lengths per pack, 200 lengths per pallet.

150 mm studs

Available length :

3 ml, 5.6ml

6 lengths per pack, 126 lengths per pallet.



The Semin certificate is available on the CSTB website :
www.cstb.fr

* 2,40 m	2,50 m	2,60 m	2,70 m	2,80 m
2,90 m	3,00 m	3,10 m	3,20 m	3,30 m
3,40 m	3,50 m	3,60 m	3,70 m	3,80 m
3,90 m	4,00 m	5,00 m	6,00 m	

SPECIAL LENGTHS : Contact Semin's sales department : semin.profiles@semin.com

TRACKS

DESCRIPTION

EN 14195 standard compliant.

Nominal thickness 0.52.

Z275 or AZ100DX51 galva protection.



36 mm tracks

Available length :

3 ml

10 lengths per pack, 560 lengths per pallet



48 mm tracks

Available length :

3 ml

10 lengths per pack, 640 lengths per pallet



62 mm tracks

Available length :

3 ml

10 lengths per pack, 420 lengths per pallet.



70 mm tracks

Available length :

3 ml

10 lengths per pack, 420 lengths per pallet.



90 mm tracks

Available length :

3 ml

10 lengths per pack, 350 lengths per pallet.



100 mm tracks

Available length :

3 ml

10 lengths per pack, 200 lengths per pallet.

120 mm tracks

Available length :

3 ml





10 lengths per pack, 210 lengths per pallet.

150 mm tracks

Available length :

3 ml

6 lengths per pack, 168 lengths per pallet.




The Semin certificate is available on the CSTB website : www.cstb.fr

All our tracks are pre-drilled ; according to the place of manufacture.

FURRINGS*

CSTB certificate
of metal frame elements
NF No. EOM/63/08
valid until 24/09/2017



CSTB

45MM & 47MM FURRINGS

Available lengths :

2,40 ml 2,60 ml 2,70 ml 2,80 ml

3,00 ml 3,30 ml 5,30 ml



10 lengths per pack - 600 lengths per pallet.

EN 14195 standard compliant.

Nominal thickness 0.57.

Z140 galva protection. DX51 steel.

*average quantitative : cf page 11



STRINGERS*



CSTB

STRINGERS*

Available length :

3 ml

10 lengths per pack - 400 lengths per pallet.


EN 14195 standard compliant.

Nominal thickness 0.52.

Z275 galva protection.


DX51 steel.

*average quantitative : cf page 11



OMEGA PROFILE

(wooden frame house)



OMEGA WFH PROFILE

Available length :

3 ml

DX51D galvanized steel compliant with UNE EN 10143 Standard.

Minimum galvanised coating: Z140.

Thickness : 0.55 ± 0.05 mm

UNE-EN 14195 (Regulation CE marking).

RP 35.00 + PR35.12 - N AENOR Certification.

ANGLE SECTIONS



CSTB

CR2 ANGLE SECTIONS

Available length :

3 ml

10 lengths per pack


200 lengths per pallet.

EN 14195 standard compliant.

Nominal thickness : 0.52.

Z 275 galva protection.

DX 51 stainless steel.



The Semin certificate is available
on the CSTB website : www.evaluation.cstb.fr

CSTB
le futur en construction

84 avenue Jean Jaurès
Champs-sur-Marne
77447 Marne-la-Vallée cedex 2
www.cstb.fr

FUR EXTENSION 30cm



Lets you extend a coat up to ceiling or gable.

20 pieces / box - 200 boxes / pallet



INTERMEDIATE SUPPORTS*


DESCRIPTION

Adjustable fastening solutions and systems for lining walls on metal frames.

Boxes of 50 items. 6 models available.

85 mm	100 mm	120 mm
140 mm	160 mm	100 to 180 mm

- Speed and ease of application
- Simplicity of adjustment after clipping of the furring.
- No thermal bridge thanks to the reinforced polyamide composition.
- Good shear and shock resistance.
- Suitable for F45 and F47 types of furrings.
- Fastening of the furring on the horizontal wall at 1.35m high (DTU 25.41)




The 180mm rod can cross the bracket head and be cut to the desired length




INSULATION THICKNESS

85 mm



100 mm



120 mm



140 mm



160 mm



100 à 180 mm
à couper



*Average quantitative table: cf page 11

I-CLIC SOLUTIONS

Technical Notice 9/16-1033

July 2016.

PV Fire 2BA 13NF :

30mn on wooden support - 45mn
on concrete and metal support.



DESCRIPTION

The I-Click Solutions system is a metal frame system for suspended long span ceilings, fixed to a wood, metal or concrete substrate, to which a plaster board skin is fastened by screws. Z275 steel. 1 framework system sold in a KIT.

The I-CLIC Solutions system for ceilings, sold in m2, consists of :

- Primary profiles of the I 100 - 45 type
- "I-Clic Solutions P300" length 4.80m
- "I-Clic Solutions P250" length 4.00m
- Peripheral profiles (identical to system I Primary P600 and P500)
- 101 Track
- 20 - 28 Stringer
- Secondary profiles
- F45 Spacer - 18 Clic Clac 1200
- Joining and connecting accessories to the load-bearing structures (Identical to system I Primary P600 and P500)
- M6 Hangers
- Short coupling 100-45.

ADVANTAGES

- Speed of application and installation thanks to the 1200mm spacers
- Time saving on work sites
- Safe installation
- Strength of the assembly
- Supply of the I-Clic solutions system after layout scheme using our calculation engine.
(Calculation module available on the www.semin.com website)
- Product sold per m²

WHERE TO USE IT

Use limited to the installation of suspended interior ceiling in buildings of current use (used for housing, offices, schools, hospitals, hotels, etc.). On premises classified as EA, EB and EB+ private.

The area of use is restricted to structures for which Article 3 of the Decree of 22 October 2010 does not require earthquake resistant proScrewsions.

I-PRIMARY



DESCRIPTION

Structure for long span ceiling heavy gauge profiles:

- Short coupling
- M6 hanger
- I-PRIMARY
- 101 Track
- 21 Track
- Furring

Z275 Protection resistant to 190 hours in a saline fog.

Calculation module for the quantities required and datasheets on :

www.profil37.fr or

www.profil37.com


SEMIN Exclusive distributor profiles.

CURVED TRACK



DESCRIPTION


50 track of perforated metal U profile for making a curved partition. It is composed of "vertebrae" used to curve partitions or to make curves. Position the track according to the desired curvature and attach 48 studs vertically using RHST screws. It can be used for partitions and cavity partitions. It can be used to quickly make :




Curved partitions



Arches on curved partitions



Arches on flat partitions




Vaulted ceilings

ADVANTAGES

- Easier production of a curved partition
- Simple and quick cutting to the desired dimension
- Time saving on work sites
- Simplicity of application
- Its cardboard packaging and the availability of the track in the form of a 20m dispenser.

CROIX SOLUTIONS



DESCRIPTION

Croix Solutions is a SEMIN innovation which can be used to connect up to 3 furrings. It is a robust solution to strengthen frameworks or to incorporate an element into them (hatch, door, window). Croix solutions is designed to be used in structures used as a support for plaster boards. It can be used in wet rooms.

It can be used to strengthen, assemble or link, quickly and securely, 2 or 3 furrings.

INSTRUCTIONS FOR USE

Clip or slide on furrings to create connections at vertical and horizontal right angles. Screw a threaded rod in the centre of the cross to make suspended structures. The cross solution must be crossed by a load bearing or heavy gauge furring. The two free branches can be used to support spacer or secondary furrings. Can be screwed to wood 20 items/box - 200 boxes per pallet.

ADVANTAGES

- Connections up to 3 furrings at horizontal or vertical right angles.
- Makes fastening plasterboards easier
- Window surround
- Door frame
- Mounting of access hatch horizontally between two primary frames
- Allows angles to be made
- Can be used in wet rooms.


Make a door surround



Make a window surround




Install an inspection hatch



Caution, this fastening method may in no case be used to replace a hanger.

SEMIN HOLLOW SLAB HANGERS 3 IN 1 SOLUTION



**On the external face
240mm, 300mm
& 400mm hangers**

Threaded rod

**On the internal face
90mm & 180mm
hangers**

DESCRIPTION

Is fixed to concrete joist with hollow slabs to create plasterboard ceilings.

FASTENING SOLUTIONS

1. EXTERNAL FACE, secure the 240, 300 and 400 mm wide hangers with a screw.
2. Location for attaching a threaded rod.
3. INTERNAL FACE, secure the 90 and 180 mm wide hangers with a screw.

**Addition of a nut for
greater tightening
reliability to the
concrete girder !**



AVERAGE QUANTITIES

needed in terms of accessories and fillers

PER M² OF PARTITION (Height 2.50m)

Stringer or track against partition or 48 track	0.9 m/m ²
45 or 47 furring or 48 stud	2.30 m/m ²
Bugle screws (25mm if BA 13)	12 screws/m ²
RHST screws (stringer/furring fastening)	
(track stud fastening)	2 screws/m ²
Intermediate bracket	
(use only for cavity partitions)	1/m ²
Filler for CE 78 joints	0.35 kg/m ²
Paper jointing tape	1.60 m/m ²

PER M² OF CEILING

Furrings	2 m/m ²
Furring connectors	0.3 u/m ²
Screws	12 screws/m ²
Hangers	1.8 m ²
Filler for CE 78 joints	0.35 kg/m ²
Paper jointing tape	1.60 m/m ²

HANGERS




		BOXES/ BAGS	CARTON
Short hangers 80mm ref SC09	F45	100 items	450 boxes
Short hangers 80mm ref SC09	F47	100 items	450 boxes
Long hangers 170mm ref SL18	F45	100 items	300 boxes
Long hangers 170mm ref SL18	F47	100 items	300 boxes
Long hangers 240mm ref SL24	F45	50 items	240 boxes
Long hangers 240mm ref SL24	F47	50 items	240 boxes
Long hangers 300mm ref SL30	F45	50 items	200 boxes
Long hangers 300mm ref SL30	F47	50 items	200 boxes
Long hangers 400mm ref SL40	F45	50 items	160 boxes
Long hangers 400mm ref SL40	F47	50 items	160 boxes
Long hangers 500mm ref SL50	F45	50 items	-
Long hangers 500mm ref SL50	F47	50 items	-
Long hangers 600mm ref SL60	F45	50 items	-
Long hangers 600mm ref SL60	F47	50 items	-

FRANGIBLE HANGERS


Long hangers 480mm	F45	50 items	120 packets
Long hangers 480mm	F47	50 items	130 packets
Long hangers 560mm	F45	50 items	30 packets
Super long hangers 560mm	F47	50 items	30 packets
Super long hangers 640mm	F45	25 items	160 packets
Super long hangers 640mm	F47	25 items	160 packets
Super long hangers 720mm	F45	25 items	-
Super long hangers 720mm	F47	25 items	-
Super long hangers 800mm	F45	25 items	-
Super long hangers 800mm	F47	25 items	-
Super long hangers 880mm	F45	25 items	-
Super long hangers 880mm	F47	25 items	-
Super long hangers 960mm	F45	25 items	-
Super long hangers 960mm	F47	25 items	-
Super long hangers 1040mm	F45	25 items	-
Super long hangers 1040mm	F47	25 items	-

CONNECTORS

Furring connectors	F45	50 items	96 boxes
Furring connectors	F47	50 items	96 boxes



INSTALLATION ACCESSOIRES




BOX/SACHET

CARTON/PALLET

1	Pivot rod bracket	100 items	96 boxes/pallet
2	Toggles and roses	100 items	10 boxes/carton, 260 boxes/pallet
3	Securing clips	100 items	120 boxes/pallet
4	6x40mm brass plugs	100 items	50 boxes/carton, 30 cartons/pallet
5	Threaded rod sleeves	100 items	720 boxes/pallet
6	6mm nut	100 items	100 boxes/carton, 36 cartons/pallet
7	Ø6mm - 1 m threaded rods	100 m pack	60 packs/pallet
8	Male head screws	100 items	360 boxes/pallet
9	Female head screws	100 items	360 boxes/pallet
10	6x40mm knock-in plugs	200 items	12 boxes/carton, 288 boxes/pallet
11	Long hollow slab hangers	100 items	64 boxes/pallet
12	Articulated hangers	50 items	160 boxes/pallet
13	Light hollow slab hangers	50 items	200 boxes/pallet
14	Half clamps	100 items	128 boxes/pallet
15	3 in 1 hollow slab hangers	50 items	108 cartons/pallet
16	Intermediate bracket	50 items	84 boxes/pallet
17	Vapour barrier hanger	50 items	-
18	Quick adjustable hanger	50 items	96 boxes/pallet
19	125mm Quick suspension eyelet rod	50 items	400 packs/pallet
19	250mm Quick suspension eyelet rod	50 items	400 packs/pallet
19	500mm Quick suspension eyelet rod	50 items	400 packs/pallet
19	1000mm Quick suspension eyelet rod	50 items	200 packs/pallet
20	Quick hangers	100 items	-

EN 14566 & DTU
25.41 compliant

SCREWS FOR PLASTER BOARDS*



Screws 3,5 x 25 mm

Screws 3,5 x 35 mm

Screws 3,5 x 45 mm

Screws 4,2 x 55 mm

Screws 4,2 x 70 mm

Screws 4,2 x 80 mm

Screws 4,8 x 90 mm

Screws 4,8 x 110 mm

Screws 4,8 x 130 mm

Screws 3,5 x 9,5 mm TRPF

Screws 3,5 x 13 mm TRPF

BOX

1000 items

1000 items

1000 items

500 items

500 items

500 items

500 items

500 items

500 items

200 items

500 items

CARTON

16 boxes

10 boxes

8 boxes

9 boxes

4 boxes

6 boxes

4 boxes

2 boxes

4 boxes

135 boxes

30 boxes

PALLET

384 boxes

240 boxes

192 boxes

216 boxes

192 boxes

72 boxes

72 boxes

72 boxes

72 boxes

3240 boxes

720 boxes

*average quantitative : cf page 11

PLASTERERS ACCESSORIES

PLASTIC U



PACK

25/50 - 3 m

120 ml

25/70 - 3 m

90 ml

25/100 - 3 m

60 ml

PLASTIC U in rolls



CARTON

50 mm x 20 ml

5 rolls

STRONG PHALTEX TAPES



PACK PALLET

48 mm x 1,20 m

60 ml

2880 ml

60 mm x 1,20 m

60 ml

2520 ml

70 mm x 1,20 m

60 ml


2160 ml

90 mm x 1,20 m

30 ml

1440 ml

ACOUSTIC INSULATING TAPE



30ml x 45 mm Tape


20 rolls/carton

30ml x 65 mm Tape

14 rolls/carton

REINFORCED TAPES

**EN 14353
compliant**



30 ml
12,5 ml


CARTON

10 rolls
20 rolls

PALLET

450 rolls
800 rolls

CORNER BEADS




PACK

Deployed - 2,5 m	62,5 ml
Deployed - 3 m	75 ml
Perforated - 2,5 m	125 ml
Perforated - 3 m	150 ml

SEMIN MICRO PROFILE

**NFEN 14353-A1
compliant**



2,5 ml
3 ml

PALLET

2940 length/Pallet
2940 length/Pallet

MICRO PROFILE STAPLER



DESCRIPTION

Tool to crimp the angles of metal corner beads on plasterboards.

PAPER JOINTING TAPE*

**EN 13963
compliant**



23 m
75 m
150 m

CARTON

20 rolls
20 rolls
10 rolls

PALLET

42 cartons
50 cartons
49 cartons

ADHESIVE MESH TAPES



CARTON

20 ml (0,05m)	10 rolls
45 ml (0,05m)	54 rolls
90 ml (0,05m)	24 rolls
90 ml (0,10m)	12 rolls
153 ml (0,05m)	12 rolls

SEALING CONNECTION TAPE




150mm x 1mm x 5m Tape

4 rolls/carton

144 rolls/Pallet

ACOUSTIC HANGER



30 pieces/boxes - 135 boxes/pallet

SEMIN BBC LOW-ENERGY CONSUMPTION RANGE

DESCRIPTION

The BBC standard defines the level of performance required by BBC accreditation (low-energy consumption building), according to the current 2012 thermal regulation.


To meet to this growing and vital need of respect for the environment and the reduction of greenhouse gas emissions, Semin has developed a range of innovative products.

In this BBC range, there are air and dustproof hatches for partitions and ceilings (from 200x200mm to 800x1000mm) and for insulated and waterproof attic spaces (600x600mm). The VAPOUR PROTECTION RANGE, comprising two rolls of VAPOUR BARRIER (37.5m² and 75m²), extensible adhesive tape, universal adhesive tape, double-sided adhesive tape, the vapour barrier hanger and special vapour barrier mastic glue. SEMIN E the airproof filler, completes this new range.



technical notice
Technical Application Document
No. 9/16-1030

CE78 BLADES



DESCRIPTION

Smoothing and finishing of coatings and plaster boards.

Technical characteristics

Blade thickness : 0.3mm

Sizes

15 - 25 - 45 - 60 - 80 - 100cm


CE78 PERCH



ADVANTAGES

- Suitable for large surfaces
- Ideal for smoothing spray-on coatings
- Simplified action
- Ergonomic grip
- Excellent smoothing quality
- Can be fitted to a pole, light
- Stainless. Abrasion-resistant
- Smoothing and finishing of coatings and plaster boards.

23cm ROLLER



DESCRIPTION

For applying coatings faster and more simply.
Made of 12mm polypropylene fibre.

SEMIN SCRAPERS



DESCRIPTION

US scraper and multi-function blades
with screw bit.

SEMIX'PRO JET 110, 80 & MIXER

SEMIX'PRO JET 110 DESCRIPTION

The SEMIX'PRO JET 110 is a high yield unit for spraying ready-mix and powder coatings prepared using the SEMIX'PRO JET MIXER. Max. working pressure : 110 bars.

SEMIX'PRO JET 80 DESCRIPTION

The SEMIX'PRO JET 80 unit is designed for spraying ready-mix but also powder coatings prepared using the SEMIX'PRO JET MIXER.

Max. working pressure : 80 bars.

SEMIXPRO' MIXER DESCRIPTION

SEMIX'PRO JET MIXER is equipped with a variable speed drive as well as a water meter. Its digital display console facilitates its use.

It must be used with SEMIX'PRO JET machines. It is equipped with a level detector which stops the mixer when the tank is full and restarts it when the level of product is low. It is used to mix rapidly and uniformly powder or pre mixed products.

The tank capacity is 40L.



AIRLISS JET TH95 & E66

DESCRIPTION

Airless machine with hydraulic pump.

Petrol engine version : TH95

Electric version : E66



OUR SALES TEAM

PRESIDENT : Mr. Philippe Semin
CEO : Ms. Caroline Semin
SEMIN GROUP SALES DIRECTOR : Mr. Thierry Lefeuvre
INTERNATIONAL SALES DIRECTOR : Mr. Anthony Lefeuvre
DIY SALES DIRECTOR : Mr. Blaise Wolski
TECHNICAL TEAM MANAGER: Mr. Christian Male

France Division

HEAD OF SALES NORTH : Mr. Lionel Libot
HEAD OF SALES SOUTH : Mr. Eric Stefanut

PARIS-IDF MANAGERS :

- Mr. Jorge Caloba (materials traders)
 - Mr. Mickael Da Silva (materials traders)
- Mr. Mathieu Thomas (paint wholesalers)
- Mr. Jean-Michel Tabary (paint wholesalers)

NORTH MANAGERS :

- Mr. Maxime Noel (general)
 - Ms. Laetitia Brosse (general)
 - Mr. Ihsane Flouquet (general)

EAST AND LUXEMBOURG MANAGERS

- Mr. Joris Junghofer (materials traders)
- Mr. Maxime Blaise (general)
 - Kiyet Biber (general)

SOUTHEAST MANAGER :

- Ms. Véronique Franzoni (general)

SOUTHWEST MANAGER :

- Ms. Maud Langlois (general)

WEST MANAGERS :

- Mr. Pascal Divillez (materials traders)
- Mr. Pascal Dray (paint wholesalers)
- Mr. Laurent Louis-Eugène (materials traders)

RHÔNE-ALPES MANAGER

- Mr. Olivier Guillermand (materials traders)
 - Mr. Valentin Romeas (general)

LANGUEDOC-ROUSSILLON MANAGER

- Mr. Christophe Hitier (general)

DIY SALES TEAM :

PARIS-IDF EAST MANAGER : Mr. Bryan Fontaine
PARIS-IDF WEST MANAGER : Mr. Damien Vandamme.
NORTH EAST MANAGER : Mr. Olivier Casulli
NORTH MANAGER : Mr. Nicolas Colson
SOUTHEAST MANAGER: Ms. Coraline Gilbert
SOUTHWEST MANAGER : Ms. Julie Tiffaneau
WEST MANAGER: Mr. Michael Libeau

TECHNICAL TEAM :

Mr. Alain D'Andréa, Mr. Didier Fontaine, Mr. Matthieu Trouvain,
Mr. Ludovic Bourgoin, Mr. Julien Gaulupeau.

AFTER-SALES SERVICE MANAGER :

Mr. Gheorghe Neamtu : +33 (0)3 82 83 02 97 / sav@semin.com

Access panels prescriber : Ms. Isabelle Lemercier

International Division



GERMANY SALES DIRECTOR : Mr. Daniel Kusber
NORTHWEST GERMANY MANAGER : Mr. David Kellner
BERLIN MANAGER : Mr. Heiko Zeinert
STUTTGART, BADE-WURTEMBERG MANAGER : Mr. Tobias Schmidt
LOWER SAXONY MANAGER : Ms. Sandra Janke
DEMONSTRATOR : Mr. Christian Griesse



AUSTRIA MANAGER : Mr. Almin Music



UK SALES MANAGER : Mr. Michael Whitelock



BELGIUM MANAGER : Mr. Fethi Beni Amor



IMPORTER FOR THE NETHERLANDS : WOODFIELD B.V.



SPAIN SALES DIRECTOR : Mr. Felipe Blasco
SOUTHEAST SPAIN MANAGER : Mr. Jose Javier Alcaraz
CATALONIA SECTOR MANAGER : Mr. Raoul Alba Ruz



POLAND SALES DIRECTOR : Mr. Rafal Maczko
NORTHWEST MANAGER : David Kloskowski
NORTH MANAGER : Jakub Supryczyński
SOUTH MANAGER : Paweł Szymczak
CENTRAL MANAGER : Kamil Widniewski
EAST MANAGER : Andrzej Brandenburg
SOUTHWEST MANAGER : Robert Gwardecki
DEMONSTRATOR : Mr. Miloslaw Bialowicz



UKRAINE SALES DIRECTOR : Ms. Ira Petrova



CZECH SALES DIRECTOR : Ms. Tereza Roletzka



CEO RUSSIA : Mr. Michael Belkin



CEO ALGERIA : Mr. Nadir Lounis
ALGERIA SALES MANAGERS :
Mr. Ziane Mouloud
Mr. Habbouche Salah
Ms. Hacine Nassima

WESTERN AFRICA SALES MANAGER : Mr. Thomas Ruiz

EASTERN AFRICA SALES MANAGER : Mr. Guillaume de Montclos

SEMIN, PRESENT IN 66 COUNTRIES



